

WASHING MACHINE SIPHON PVC - ABS

Washing machine siphon PVC.
Horizontal, vertical and funnel types.
Cap with NBR gasket.



Size : DN40
Connection : To be glued
Min Temperature : +5°C
Max Temperature : +90°C
Max Pressure : 1 Bar
Specifications : Cap with NBR gasket
For PVC pipe Ø 40 mm
Elements to be glued together

Materials : PVC - ABS

WASHING MACHINE SIPHON PVC - ABS

SPECIFICATIONS :

- NBR gasket
- Diameter 40 mm
- Elements to be glued together

USE :

- For washing machine
- Min Temperature Ts : + 5°C
- Max Temperature Ts : + 90°C
- Max Pressure PN :1 bar

RANGE :



- Horizontal siphon **Ref. 1370001**




- Vertical siphon **Ref. 1370002**



- Funnel **Ref. 1370003**


WASHING MACHINE SIPHON PVC - ABS

MATERIALS :



Ref. 1370001

Ref. 1370002



Ref. 1370003


Item	Designation	Materials Ref. 1370001 and 1370002
1	Tub	PVC
2	Fittings	ABS
3	Cap	Polypropylene + NBR gasket

Item	Designation	Materials Ref. 1370003
1	Body	ABS


WASHING MACHINE SIPHON PVC - ABS

SIZE (in mm) :


Ref. 1370001



Ref. 1370002



Ref. 1370003



STANDARDS :

- **DIRECTIVE 2014/68/EU** : Products excluded from directive (Article 1, § 2b)

ADVICE : Our opinion and our advice are not guaranteed and SFERACO shall not be liable for the consequences of damages.
The customer must check the right choice of the products with the real service conditions.

Sferaco 90 rue du Ruisseau 38297 St Quentin Fallavier Tel: + 33 (0) 474.94.15.90 Fax: + 33 (0) 474.95.62.08 Internet: www.sferaco.fr E-mail : info@sferaco.fr