

ANGLE FLUSH TANK TAP NATURAL BRASS BSP 4MS

Angle plain brass flush tank taps male female 4MS.
NBR packing.
Progressive opening/closing.
With free nut for an easy installation.



Size : DN3/8"
Connection : Male – Free nut BSP
Min Temperature : +0°C
Max Temperature : +90°C
Max Pressure : 10 Bars
Specifications : For flush tank
NBR packing
Multi turns type

Materials : Brass CW617N-4MS according to EN 12165

ANGLE FLUSH TANK TAP NATURAL BRASS BSP 4MS

SPECIFICATIONS :

- Flush tank taps
- NBR packing
- With free nut

USE :

- For water
- Min Temperature Ts : 0°C
- Max Temperature Ts : + 90°C
- Max Pressure Ps : 10 bars


RANGE :



- Angle plain brass flush tank taps male / female **Ref. 1340** DN 3/8"

ANGLE FLUSH TANK TAP NATURAL BRASS BSP 4MS


MATERIALS :



Item	Designation	Materials
1	Body	Brass CW617N-4MS according to EN 12165
2	Gasket	Fibers
3	Bonnet	Brass CW617N-4MS according to EN 12165
4	O ring	NBR
5	End	Brass CW617N-4MS according to EN 12165
6	Free nut	
7	Gasket	NBR
8	Packing	
9	Packing nut	Brass CW617N according to EN 12165
10	Stem	
11	Handle	

ANGLE FLUSH TANK TAP NATURAL BRASS BSP 4MS

SIZE (in mm) :



DN	3/8"
Ø P	6
L	28
L1	20
H (opened)	58.5
H (closed)	53.5
E	24
W (on flat)	18
Weight (in Kg)	0.08
Ref.	1340003

ANGLE FLUSH TANK TAP NATURAL BRASS BSP 4MS**STANDARDS :**

- Manufacturer certified ISO 9001 : 2015
- **DIRECTIVE 2014/68/EU** : Products excluded from directive (Article 1, § 2b)

ADVICE : Our opinion and our advice are not guaranteed and SFERACO shall not be liable for the consequences of damages.
The customer must check the right choice of the products with the real service conditions.