

ANGLE WASHING MACHINE BRASS BALL VALVE CHROMED MALE BSP

Washing machine chromed brass angle ball valve male BSP.
NBR O-ring seat and on stem.



Size : DN1/2"-3/4"
Connection : Male BSP
Min Temperature : +0°C
Max Temperature : +90°C
Max Pressure : 10 Bars
Specifications : For washing machine, toilet and washbasin
NBR gasket
1/4 turn type

Materials : Brass CW617N chromed according to EN 12165

ANGLE WASHING MACHINE BRASS BALL VALVE CHROMED MALE BSP**SPECIFICATIONS :**

- For washing machine
- For toilet
- For washbasin
- Angle type
- Ball valve type

USE :


- For water
- Min Temperature Ts : 0°C
- Max Temperature Ts : + 90°C
- Max Pressure Ps : 10 bars

RANGE :

- Washing machine angle ball valve chromed male / male **Ref. 685045** DN 1/2"-3/4"

ANGLE WASHING MACHINE BRASS BALL VALVE CHROMED MALE BSP


MATERIALS :



Item	Designation	Materials
1	Body	Brass CW 617 N according to EN 12165 nickeled
2	Ball	Brass CW 617 N according to EN 12164
3	Stem	Brass CW 617 N according to EN 12164
4	Ring	Brass CW508L according to EN 12449
5	O ring	NBR
6	O ring	NBR
7	Handle	Zama nickeled
8	Screw	C4C according to EN 10263/03

ANGLE WASHING MACHINE BRASS BALL VALVE CHROMED MALE BSP

SIZE (in mm) :



Ref.	DN	1/2-3/4"
685045	Weight (Kg)	0.1

STANDARDS :

- Manufacturer certified ISO 9001 : 2015
- **DIRECTIVE 2014/68/EU** : Products excluded from directive (Article 1, § 2b)
- Male BSP cylindrical threading ends according to ISO 228-1

ADVICE : Our opinion and our advice are not guaranteed and SFERACO shall not be liable for the consequences of damages.
The customer must check the right choice of the products with the real service conditions.